



SpecialtyRx.GiantEagle.com
1-844-259-1891

Patient Information

New Patient Current Patient

Patient's Name

First _____ Last _____ MI _____

Male Female

Last 4 digits of SSN _____ Date of Birth _____

Street Address _____

City _____ State _____ ZIP _____

Preferred Phone _____ Landline Mobile

Alternate Phone _____ Landline Mobile

Preferred Method of Contact Call Text

Email Address _____

Patient's Primary Language English Other If other, please specify _____

Parent/Guardian Name (if under 18)

Home Phone _____ Cell Phone _____

Email Address _____

Alternate Caregiver/Contact

OK to speak to/leave message with alternate caregiver/contact

Home Phone _____ Cell Phone _____

Email Address _____

PLEASE ATTACH COPY OF FRONT AND BACK OF PATIENT'S INSURANCE CARD



Prescriber Information

Date Prescription Needed _____

Ship to Office Patient Pickup at Retail Ship to Home

Office Hours to Receive Shipment of Medication _____

Office Contact and Title _____

Office Contact Phone _____

Patient's Name

First _____ Last _____ MI _____

Date of Birth _____

Primary ICD-10 code _____ Has the patient been on this therapy before? Yes No

If yes, please indicate start date _____ Height: _____ cm Weight: _____ kg Date Recorded: _____

TB Test Results and Date: _____

Has Hepatitis B been ruled out? Yes No Date: _____

If No, has treatment been initiated? Yes No

New therapy induction Therapy change

Other therapies tried and failed:

Corticosteroids Date: _____

Methotrexate Date: _____

Hydroxychloroquine Date: _____

Lefunomide Date: _____

Azathioprine Date: _____

Sulfasalazine Date: _____

Other biologics _____ Date: _____

Other _____ Date _____

Additional justification for drug _____

NKDA Known drug allergies _____

Concurrent Medications _____

Prescribing Information

Medication	Strength	Directions	Qty/Refills
<input type="checkbox"/> Simponi (golimumab)	<input type="checkbox"/> 50mg/0.5mL prefilled syringe <input type="checkbox"/> 50mg/0.5mL SmartJect auto-injector	Inject 50mg subcutaneously once per month	Qty: <input type="checkbox"/> 1 device <input type="checkbox"/> 3 devices Refills: _____
<input type="checkbox"/> Simponi Aria (golimumab) ADULT Patient weight _____ kg	50mg/4mL vial	Starter: <input type="checkbox"/> Administer _____ mg (2mg/kg) intravenously at weeks 0, 4, then every 8 weeks thereafter	Qty: _____ vial(s) Refills: _____
		Maintenance: <input type="checkbox"/> Administer _____ mg (2mg/kg) intravenously every 8 weeks	Qty: _____ vial(s) Refills: _____

Prescribing Information Cont.

Medication	Strength	Directions	Qty/Refills
<input type="checkbox"/> Simponi Aria (golimumab) PEDIATRIC Patient weight _____kg Patient height _____cm	50mg/4mL vial	Starter: <input type="checkbox"/> Administer _____mg (80mg/m ²) intravenously at weeks 0, 4, then every 8 weeks thereafter	Qty: _____ vial(s) Refills: _____
		Maintenance: <input type="checkbox"/> Administer _____mg (80mg/m ²) intravenously every 8 weeks	Qty: _____ vial(s) Refills: _____
<input type="checkbox"/> Skyrizi (risankizumab) Patient weight _____kg	<input type="checkbox"/> 150mg/mL auto-injector <input type="checkbox"/> 150mg/mL prefilled syringe	Starter: <input type="checkbox"/> Inject 150mg subcutaneously at weeks 0, 4, and then every 12 weeks thereafter	Qty: 2 devices Refills: 0
		Maintenance: <input type="checkbox"/> Inject 150mg subcutaneously every 12 weeks	Qty: 1 device Refills: _____
<input type="checkbox"/> Stelara (ustekinumab) Patient weight _____kg	<input type="checkbox"/> 45mg/0.5mL prefilled syringe <input type="checkbox"/> 90mg/mL prefilled syringe	Starter: <input type="checkbox"/> Inject 45mg subcutaneously at weeks 0,4, and then every 12 weeks thereafter <input type="checkbox"/> Inject 90mg subcutaneously at weeks 0,4, and then every 12 weeks thereafter	Qty: 2 prefilled syringes Refills: 0
		Maintenance: <input type="checkbox"/> Inject 45mg subcutaneously every 12 weeks <input type="checkbox"/> Inject 90mg subcutaneously every 12 weeks	Qty: 1 prefilled syringe Refills: _____
<input type="checkbox"/> Taltz (ixekizumab)	<input type="checkbox"/> 80mg/mL autoinjector <input type="checkbox"/> 80mg/mL prefilled syringe	Ankylosing Spondylitis/ Psoriatic Arthritis Starter: <input type="checkbox"/> Inject 160mg (2 injections) subcutaneously once at week 0, followed by 80mg every 4 weeks	Qty: 2 devices Refills: 0
		Maintenance: <input type="checkbox"/> Inject 80mg subcutaneously every 4 weeks	Qty: <input type="checkbox"/> 1 device <input type="checkbox"/> 3 devices Refills: _____
<input type="checkbox"/> Xeljanz (tofacitinib)	5mg tablet	Take 1 tablet by mouth twice daily	Qty: <input type="checkbox"/> 60 tablets <input type="checkbox"/> 180 tablets Refills: _____

Prescribing Information Cont.

Medication	Strength	Directions	Qty/Refills
<input type="checkbox"/> Xeljanz XR (tofacitinib)	11mg XR tablet	Take 1 tablet by mouth once daily	Qty: <input type="checkbox"/> 30 XR tablets <input type="checkbox"/> 90 XR tablets Refills: _____
<input type="checkbox"/> Other: _____			Qty: _____ Refills: _____

Prescriber Name _____

Phone _____ Fax _____

Email Address _____

Office Address _____

City _____ State _____ ZIP _____

State License _____ DEA _____ NPI _____

In order for brand name to be dispensed, prescriber must hand write "Brand Medically Necessary" or "Brand Necessary" in the space below:

I authorize this prescription and for Giant Eagle Specialty Pharmacy and its representatives to act as an agent to initiate and execute the insurance prior authorization process.

Prescriber signature required. NO STAMPS. Prescriber attests this is his/her legal signature.

Prescriber signature _____ Date _____